Journal of Immunological Methods, 131 (1990) 293–294
Elsevier

Contents to volume 131 (1990)

Number 1 – 20 July 1990

Announcement from the publisher v

Review article

The technique of pulsed field gel electrophoresis and its impact on molecular immunology
M.-A.J. O'Reilly and C. Kinnon (U.K.) 1

Research reports

Sugar competition assays reveal high affinity receptors for *Erythrina cristigalli* lectin on feline monocytes
C.E. Whitehurst, N.K. Day and N. Gengozian (U.S.A.) 15

A cell-ELISA for the quantification of adherent murine macrophages and the surface expression of antigens
P.H. Nibbering, J.S. Van de Gevel and R. Van Furth (The Netherlands) 25

Rat (and mouse) monoclonal antibodies. VIII. ELISA measurement of Ig production in mouse hybridoma culture supernatants
T. Delaunay, J. Louahed and H. Bazin (France, Belgium) 33

Measurement of free human leukocyte elastase and human leukocyte elastase/α_1 proteinase inhibitor complexes by an enzyme-linked immunosorbent assay
M.D. Kramer, M. Müller-Bardorff, M.M. Simon, W. Tilgen, E. Schickel and D. Petzoldt (F.R.G.) 41

A quick method for obtaining lymph-borne dendritic macrophages from rats
L.A. Gyure and J.G. Hall (U.K.) 49

An in vitro murine model of a penicillin specific IgE anamnestic response
M.C. Smith, C. Heusser, K. Wagner, K. Blaser and H.G. Durkin (U.S.A., Switzerland) 55

A sensitive and specific enzyme-linked immunosorbent assay for methionine enkephalin sulphoxide
G.K.L. Tiong and J.E. Olley (Australia) 65

Detection of C3bBb-stabilizing activity (C3 nephritic factor) in the serum from patients with membranoproliferative glomerulonephritis
H. Ohi, S. Watanabe, T. Fujita, M. Seki and M. Hatano (Japan) 71

Chromatographic enzyme immunoassay for T-2 toxin
B.A. Warden, A. Sentissi, M. Ehrat, D.J. Cecchini, K. Alam and R.W. Giese (U.S.A.) 77

A fast and efficient method for quantification of monoclonal antibodies in an ELISA using a novel incubation system
R.E. Mushens and M.L. Scott (U.K.) 83

A simple theoretical treatment of a competitive enzyme-linked immunosorbent assay (ELISA) and its application to the detection of human blood group antigens
V. Chapman, S.M. Fletcher and M.N. Jones (U.K.) 91

Covalently linked peptides for enzyme-linked immunosorbent assay
J. Søndergård-Andersen, E. Lauritzen, K. Lind and A. Holm (Denmark) 99

A novel method of human B cell activation by liposomes coated with Fab′ fragments of anti-IgM
K. Furukawa and C.G. Sahasrabuddhe (U.S.A.) 105

A radioimmunoassay for antibodies to the Ro/SSA particle
S. Yoshida and M. Reichlin (U.S.A.) 113

An assay for the assessment of lipocortin 1 levels in human lung lavage fluid
S.F. Smith, N.J. Goulding, J.L. Godolphin, T.D. Tetley, C.M. Roberts, A. Guz and R.J. Flower (U.K.) 119

Analysis of glycosylation changes in IgG using lectins
N. Sumar, K.B. Bodman, T.W. Rademacher, R.A. Dwek, P. Williams, R.B. Parekh, J. Edge, G.A.W. Rook, D.A. Isenberg, F.C. Hay and I.M. Roitt (U.K., U.K.) 127

Homogeneous latex immunoassay for thyroid hormone testing. Determination of thyroxine and triiodothyronine
J.C. Mareschal, C.L. Cambiaso, J. Janssens, J.N. Limet, N. Tasiaux and D. Collet-Cassart (Belgium) 137

0022-1759/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Short communications

Enzyme-linked immuno-filtration assay applied to accelerated immunodetection of gel transferred proteins on immobilizing matrices
J.M. Pinon, D. Puygauthier-Toubas, H. Lepan, J. Boulant, C. Marx-Chemla and H. Dupont (France) 143

One step separation of human fetal lymphocytes from nucleated red blood cells
N.M. Bhat, M.M. Bieber and N.N.H. Teng (U.S.A.) 147

Relative molecular mass influences the results obtained when determining urinary proteins by laser nephelometry
W.G. Wood, J. Steinhoff and H. Fricke (F.R.G.) 151

Letter to the editors

Removal of liposomes with incompletely encapsulated enzyme using a monoclonal anti-alkaline phosphatase immunosorbent
D. Samuel, R. Patt and A.G. Taylor (U.K.) 153

Notes to authors 155

Number 2 – 7 August 1990

Announcement from the publisher 157

Research reports

Sandwich ELISA assay for quantitative measurement of SP-40,40 in seminal plasma and serum
N.-H. Choi, T. Tobe, K. Hara, H. Yoshida and M. Tomita (Japan) 159

MTT colorimetric assay for testing macrophage cytotoxic activity in vitro
M. Ferrari, M.C. Fornasiero and A.M. Isetta (Italy) 165

Kinetics of the in vitro antibody response to transmissible gastroenteritis (TGE) virus from pig mesenteric lymph node cells, using the ELISASPOT and ELISA tests
P. Berthon, S. Bernard, H. Salmon and R.M. Binns (France, U.K.) 173

Analysis of leukocyte surface antigens on ethanol-fixed paraffin-embedded tissue material
T. Ootaka, T. Saito, J. Soma and K. Yoshinaga (Japan) 183

Solid phase disruption of fluid phase equilibrium in affinity assays with ELISA
S. Hetherington (U.S.A.) 195

Fast and simple procedure for the detection of cell culture mycoplasmas using a single monoclonal antibody
R. Blazek, K. Schmitt, U. Krafft and U. Hadding (F.R.G.) 203

Evaluation of dissociation constants of antigen-antibody complexes by ELISA
B.B. Kim, E.B. Dikova, U. Sheller, M.M. Dikov, E.M. Gavrilova and A.M. Egorov (U.S.S.R.) 213

The use of computer-assisted video image analysis in the enumeration of immuno-stained cells in tissue sections
M.-N. Norazmi, A.W. Hohmann, L.R. Jarvis, J.M. Skinner, P. Stoll and J. Bradley (Australia) 223

Two simple and rapid methods to detect monoclonal antibodies with identical epitope specificities in a large population of monoclonal antibodies
R.R. Dighe, G.S. Murthy and N.R. Moudgal (India) 229

Preparation and characterization of xanthine oxidase-antibody and -hapten conjugates for use in sensitive chemiluminescent immunoassays
V. Fert and A. Baret (France) 237

Preparation of human monoclonal antibodies against a cytomegalovirus glycoprotein complex of 130 and 55 kDa
T. Tomiyama, Y.-i. Matsumoto, T. Sugano, S. Fujinaga and Y. Masuho (Japan) 249

Dot immunobinding and immunoblotting of picogram and nanogram quantities of small peptides on activated nitrocellulose
E. Lauritzen, M. Masson, I. Rubin and A. Holm (Denmark) 257

A fast and easy method to determine the production of reactive oxygen intermediates by human and murine phagocytes using dihydrorhodamine 123
A. Emmendörffer, M. Hecht, M.-L. Lohmann-Matthes and J. Roesler (F.R.G.) 269

Affinity distributions of antigen-specific IgG in patients with multiple sclerosis and in patients with viral encephalitis
R.W. Luxton and E.J. Thompson (U.K.) 277

Highly sensitive enzyme immunoassays for antibodies to human tumor necrosis factor (TNF-α) and lymphotoxin (TNF-β)
H.R. Lamche and G.R. Adolf (Austria) 283

Book review 291

Announcements 292

Contents to volume 131 (1990) 293

Notes to authors 295